

FIG. 1





FIG. 2



1  
300

FIG. 3

405

402

ORGANIZATION      FILTERS      3/2/2001

1 of 61

ID#	Action Plan	Status	Date Due	Priority	Responsible
102- 7	Submit Tier II forms to the local fire department and document the submittal.		06/01/2000	High	Enviro Coord
103- 1	Characterize laboratory waste and cleaning solvent to determine if they are hazardous wastes.		10/01/2000	Very High	Enviro Coord
103- 2	Contact TSDF to determine status of waste shipments.		12/01/1999	High	Plant A
103- 3			11/17/2000	Medium	
103- 4			11/16/2000		
103- 5	Close all containers of hazardous waste in the satellite accumulation area.		01/01/2000	High	Hazardous techn
103- 6	Arrange facility inspection by local fire department.		03/01/2000		Plant A
103- 7			11/15/2000		
103- 8	Have SPCC Plan reviewed and certified by a Professional Engineer.		01/01/2000	Medium	Maintainance
103- 9	Identify the facility's emergency response.		03/01/2000	Low	Environmental

411 414 418      444

400

FIG. 4




FIG. 5

405

402

ORGANIZATION      FILTERS      3/2/2001

1 of 13

ID#	Action Plan	Status	Date Due	Priority	Respon
102- 7	Submit Tier II forms to the local fire department and document the submittal.		06/01/2000	High	Enviro Coord
103- 1	Characterize laboratory waste and cleaning solvent to determine if they are hazardous wastes.		10/01/2000	Very High	Enviro Coord
103- 9	Identify the facility's emergency response contractor in the SPCC Plan.		03/01/2000	Low	Enviro Coord
103- 13	Provide eye protection for workers in the parts cleaning area.		01/01/2000	High	Safety
103- 16	Install an emergency shower/eyewash station in the forklift battery recharging area.		01/01/2000	High	Safety
406- 1	Characterize laboratory waste and cleaning solvent to determine if they are hazardous wastes.		03/01/2000		Enviro Coord
406- 9	Identify the facility's emergency response contractor in the SPCC Plan.		03/01/2000	Medium	Enviro Coord
406- 13	Provide eye protection for workers in the parts cleaning area.		01/01/2000	High	Safety
406- 16	Install an emergency shower/eyewash station in the forklift battery recharging area.		01/01/2000	High	Safety
509- 1	Characterize laboratory waste and cleaning solvent		03/01/2000		Enviro Coord

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

402

405

&lt;




FIG. 7